

Tuesday, October 27, 2015 11:06:45 AM

646.3813
B138267
REV. N/C

138267

Page 1

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Bracket

Start Date: 10/26/2015 **Start Qty:** 5.00 ***5***

Cust Item ID:

Required Date: 10/26/2015 **Req'd Qty:** 5.00 ***5***

Customer:

Reference:

Approvals: Process Plan: MLJ Date: OCT 28 2015 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run	Start	*NR1*
	Stop	*NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Work Order ID 138267

138267

Page 2

Tuesday, October 27, 2015 11:06:45 AM

Item ID: 646.3813

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Bracket

Start Date: 10/26/2015 Start Qty: 5.00

5

Cust Item ID:

Required Date: 10/26/2015 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.00

Quality Control

Y.P 15/11/05

5 0

DAS
08
9-89

140

Outsource process-Anodize per QSI017 4.1.10.1

0.00

140

Outsource4

Memo

15.00

Outsource process - Anodize

Issue P/O to ATG : 30385

1- Black Anodize as per Dwg 646.3800

2- PRIME AS PER DWG, SEE NOTE #2

Certification of Comformity is required

CL NOV 06 2015 S

150

Receive & Inspect for Damage & Mat'l Certs

0.00

150

Packaging

Memo

0.00

Packaging

5x 2015-12-01

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 138267

138267

Page 3

Tuesday, October 27, 2015 11:06:45 AM

Item ID: 646.3813

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Bracket

Start Date: 10/26/2015 Start Qty: 5.00

5

Cust Item ID:

Required Date: 10/26/2015 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
155	QC5- Inspect part completeness to step on W/O	0.00							DAS 38 9-89
155						(5)			
QC	Memo	0.00							
Quality Control									DEC 01 2015
180	Identify as per dwg & Stock Location: <u>CCT106</u>	0.00							
180						5			
Packaging	Memo	0.00						DAS 6 9-89	
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								DEC 02 2015
190	QC21- Final Inspection - Work Order Release	0.00							
190									15/12/2 J
QC	Memo	0.01							
Quality Control									

MC5 DEC 02 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, October 27, 2015 11:06:45 AM

Page 1

Work Order ID: 138267

138267

Parent Item: 646.3813

646.3813

Parent Item Name: Strut Bracket

Start Date: 10/26/2015

Required Date: 10/26/2015

Start Qty: 5.00

Required Qty: 5.00

Comments: IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A0.75X0.75X 0.060X0.062		Purchased		No			f	91.7428		0.578947			

***M7075T6A0 75X0 75X0 060X0**

7075T6 ANGLE .75" X .75" X .060" X .062"W

Location

Loc Qty

Loc Code

MAT051

91.742842

123947

91.742842

1.5625 J.L.L. 10/11/03

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03697				SHEET 1 OF 1	
	DWG NO. 646.3800	REV: N/C	PREPARED BY B. PETERS	DATE: 11/14/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: BRACKETS					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>David Baker</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC) A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL.				ECR: D-12-006	

IS

1 PRIMARY MATERIAL: 7075-T651 ALUMINUM PER AMS-QQ-A-250/12.
ALTERNATE MATERIAL: 7075-T6511 ALUMINUM PER AMS-QQ-A-200/11.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
138267 MJS
15-10-28


SHEET 1, ZONE A2 IS:

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED: ☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM					CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 AMS-QQ-A-250/12
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK;
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N
- 3 DEBURR AND BREAK ALL SHARP EDGES
- 4 IDENTIFY IAW MPP-120



646.3810



UNINCORPORATED E.L. (S)

03/09/7

		646.3814	WIPER BRACKET	△	△	
		646.3813	STRUT BRACKET	△	△	
		646.3812	GUSSET BRACKET	△	△	
		646.3811	RADIUS BLOCK	△	△	
		646.3810	BRACKET	△	△	
	QTY	FIND #	PART #	DESCRIPTION	MATL	SPEC.
PARTS LIST						
QTY		NEXT ASSY IS:				
646.4000		ORIGINAL DATE	08-19-00	APICAL INDUSTRIES		
		DESIGNED BY	J. GARDNER	2608 TEMPLE HEIGHTS DR.		
		DRAWING APPROVAL	P. BRAVO	OCEANSIDE, CA. 92056-3512 (760)724-5300		
		CONTRACT NO.		BRACKETS		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS: ±.005 1 PLACE DECIMAL: ±.010 ANGLES: ±.3°				REV		
SIZE	CAGE CODE	QTY	NO	646.3800	REV	
B	07M26				N/C	
SCALE NONE				SHEET 1 OF 5		

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

A


B

C

D



646.3811





NEXT ASSY (S)		ORIGINAL DATE 05-19-06	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300			
		DRAWN BY L. GARDNER				
		CHECKED 				
		DRAWING APPROVAL 				
		CONTRACT NO. 	BRACKETS			
		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .010 3 PLACE DECIMALS ± .005 ANGLES ± .5°	SIZE B	CAGE CODE 07M26	DWG NO 646.3800	REV N/C
		SCALE NONE	SHEET 2 OF 5			



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED

A
B
C
D




646.3812





NEXT ASSY (S)	ORIGINAL DATE	06-19-08	APICAL INDUSTRIES	
	MOD. DATE			
	DRAWN BY	CHUCKER	2608 TEMPLE HEIGHTS DR.	
	1 CAD DIRM		OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DRAWING APPROVAL		BRACKETS	
	CONTRACT NO.			
	UNLESS OTHERWISE SPECIFIED		REV	REV
	DIMENSIONS ARE IN INCHES		B	07M16
	TOLERANCES ARE:		SCALE	NONE
	2 PLACE DECIMALS ± .010		646.3800	N/C
	3 PLACE DECIMALS ± .005		SHEET 3 OF 3	
	ANGLES ± .2°			

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





646.3813





NEXT ASSY (S)		ORIGINAL DATE: 06-19-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5900	
		DRAWN BY: []		
		CHECKED BY: []		
		DATE: []		
		CONTRACT NO:	BRACKETS	
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 1 PLACE DECIMALS ± .01 2 PLACE DECIMALS ± .005 3 PLACE DECIMALS ± .001	101 1000 CODE B 07/026	DWG NO: 646.3800
		SCALE: NONE	SHEET 4 OF 5	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



646.3814



SECTION A-A

NEXT ASSY (S)	ORIGINAL DATE	03-19-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
	DESIGNED BY	CR/CTE		
	DRAWN BY	J. CARDONE		
	CHECKED BY			
CONTRACT NO.			BRACKETS	
UNLESS OTHERWISE SPECIFIED			SIZE	PIV
DIMENSIONS ARE IN INCHES			8	N/C
TOLERANCES ARE:			DWG NO.	646.3800
2 PLACE DECIMALS ±0.06			SCALE	NONE
3 PLACE DECIMALS ±0.005			SHEET 3 OF 5	
ANGLES 1:8				



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO30385

Purchase Order Date 11/6/2015

PO Print Date 11/10/2015

Page Number 2 of 7

Order From :

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

PCA - (Free Carrier)

3 136136

646.2910 DEFLECTOR
REV. N/C

11/13/2015

Yes

11/13/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

136136 ✓

11/18/2015

11/18/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total:

\$576.00

4 138194 ✓

646.3812 GUSSET
BRACKET REV. N/C

11/18/2015

5.00

Yes

11/18/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total:

\$30.50

5 138267 ✓

646.3813 STRUT
BRACKET REV. N/C

11/18/2015

5.00

Yes

11/18/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Note:

11/10/2015



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 64024

Date: 01-Dec-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description		
6 ea	Part: 646.2910 DEFLECTOR HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150833	Rev: N/C PO: PO30385	Line:
4 ea	Part: D4410-5 FACE PLATE BLACK ANODIZE MIL-A-8625 TYPE II CLASS 2 Job: 20150872	Rev: E PO: PO30385	Line:
5 ea	Part: 646.3812 GUSSET BRACKET HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150873	Rev: PO: PO30385	Line:
5 ea	Part: 646.3813 STRUT BRACKET HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150874	Rev: N/C PO: PO30385	Line:
6 ea	Part: 647.0410 TUBE REV HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2	Rev:	

SP15-1201



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 64024

Date: 01-Dec-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description		
	PRIME MIL-P-23377J TYPE I CLASS N PAINT IS SUPPLIED BY CUSTOMER Job: 20150875 PO: PO30385 Line:		
8 ea	Part: 647.7814 FWD BRACKET HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 PRIME MIL-P-23377J TYPE I CLASS N PAINT IS SUPPLIED BY CUSTOMER Job: 20150876 PO: PO30385 Line:	Rev:	
8 ea	Part: 647.7815 FWD BRACKET HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 PRIME MIL-P-23377J TYPE I CLASS N PAINT IS SUPPLIED BY CUSTOMER Job: 20150877 PO: PO30385 Line:	Rev:	
Certificate of Conformance A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order. ISO 9001 : 2008 REGISTERED ATG SALES-2010 TERMS APPLY DATE: <u>1/12/15</u> CERTIFIED SIGNATURE: <u>[Signature]</u> <u>6015-12-01</u>			



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 64024

Date: 01-Dec-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via
Quantity	Description	
RECEIVER SIGNATURE : _____		
<i>SP/5-12-01</i>		